

INSTALLING FACETERM FIX FOR TCSX-1 WORKSTATION.

Customized Facet*Term* terminal description files should be put into a "**localterm**" subdirectory. They will be preserved when upgrading or re-installing Facet*Term* and the customized files will there take precedence over files by the same name in the default "**term**" subdirectory.

The Facet*Term* search path for terminal description files is:

1. The directory in which "**faceterm**" was started.
2. The **\$FACETINFO** directory.
3. The **\$HOME** directory.
4. The /usr/faceterm/localterm directory.
5. The /usr/faceterm/term directory.
6. The /usr/faceterm directory.

If you downloaded one of the terminal description file CPIO archives, then you can put them in place by:

```
mkdir /usr/faceterm/localterm
cd /usr/faceterm/localterm
cpio -icdumv < CPIOFILE
```

Where "**CPIOFILE**" is the full path to the CPIO archive file.

The new terminal description files can be used by any of the following methods. Using the WYSE 60 ANSI Keys description as an example, the methods in priority order are...

1. Specifying the terminal type on the "**faceterm**" command line:
2. `faceterm wy60ak`
3. Setting the "**\$FACETTERM**" environment variable:
4. `FACETTERM=wy60ak export FACETTERM`
5. Setting the "**\$TERM**" environment variable:
6. `TERM=wy60ak export TERM`

If you have any trouble implementing your customized terminal description files or any questions, please contact [FacetCorp Technical Support](#).